Elephant Wealk

[•] Quilt and Pillow designed by Gayle Camargo for Shannon Fabrics

Approximate Finished Quilt Size : 30" x 36" Approximate Finished Pillow Size: 12" x 12"

Fabric Requirements:

Cuddle[®] 3 Black - scrap Cuddle[®] 3 Teal - 3/4 yard Cuddle[®] 3 White - 1/2 yard Cuddle[®] 3 Navy - 1 1/2 yards Cuddle[®] 3 Charcoal - 1/4 yard

Other Supplies:

Walking Foot (recommended) 90/14 stretch needle Coordinating thread Basting spray Batting Polyester fiber fill Hand sewing needle Basic sewing supplies

> For tips and tricks on working with Cuddle[®], the Sew and Flip method, or binding with Cuddle[®], visit www.shannonfabrics.com/cuddle-tips-and-tricks



The information in this pattern is presented in good faith. Every effort has been taken to assure the accuracy herein.

©2016 Shannon Fabrics Inc. 3131 S. Alameda St., Los Angeles, CA 90058. 866.624.5252 info@shannonfabrics.com www.shannonfabrics.com



designed by Gayle Camargo for Shannon Fabrics



Elephant Yealk

Cutting Instructions:

Cut from Teal:

- Cut one strip 6" x Width of Fabric; sub-cut into two strips 6" x 30"
- Cut one strip 4" x Width of Fabric; sub-cut into two strips 4" x 30" (Set one aside for pillow)

Cut from White:

- Cut one strip 6" x Width of Fabric; sub-cut into two strips 6" x 30"
- Cut one strip 4" x Width of Fabric; sub-cut into two strips 4" x 30"

Cut from Navy:

- Cut three strips 1 3/4" x Width of Fabric for binding (set aside)
- Cut three strips 2 1/2" x Width of Fabric; sub-cut into six strips 3" x 30"
- Cut one piece 40" x Width of Fabric; sub-cut into a 40" x 34" rectangle

Cut from Charcoal:

- Cut out paper elephant pieces. Trace the large elephant (facing left) and two small elephants (facing right) onto the wrong side of the fabric. Be sure the nap of the fabric is going towards the elephant's feet. Trace both the large and small ear piece (twice) onto the wrong side of the fabric. Reverse the pattern pieces and trace another set.

Prepare the ears and elephants:

Place one set of small ear pieces wrong sides together and blanket stitch around the outer edge to hold together. Repeat for the large ear pieces and the second set of small ear pieces. Set aside.

Pin ears and eyes to the elephant bodies according to the placement guide. Use a blanket stitch along the straight side of the ears and around the eyes. Set one of the small elepants aside to use on the pillow. This quilt uses the Sew and Flip method. Use a 1/2" seam allowance for all seams.

Quilt Assembly:

Place backing wrong side up. Spray basting spray on the backing and place batting on top. Smooth out wrinkles in batting, flip over and smooth out wrinkles on backing. Flip back over so that batting is facing up and the nap is going from top to bottom.

Find the center of the batting/backing.

Beginning with center row G, place the strip on the batting/backing with the nap going towards the bottom of the quilt.

Use basting spray on the wrong side of Row G to secure in place. Place row F on top of G. Be sure the nap of row F will go toward the bottom of the quilt when stitched in place. Pin well, and sew in place.

Do the same for row H, then for rows E and I, making sure to keep the nap going towards the bottom of the quilt.

Sew rows J, K, and L together, keeping nap in the same direction. Applique elephants onto that piece, using the diagram as a guide for placement.

Sew and Flip the J-L piece to row I. Stitch in the ditch rows J-L and around the elephants. Sew and Flip M to L with nap going toward the bottom of the quilt.

Sew and Flip remaining rows (A-D) to the top with the nap going towards the bottom of the quilt.

Square up the quilt and bind with the 1 3/4" strips. Sew binding to the quilt and turn the raw edge to the opposite side. Leave raw and stitch in place using a zig-zig or serpentine stitch.

Placement Guide


A	6" x 30"
В	2 1/2" x 30"
С	6" x 30"

D	2 1/2" x 30"
E	4" x 30"
F	2 1/2" x 30"
G	4" x 30"
Н	2 1/2" x 30"
I	4" x 30"
J	2 1/2" x 30"
K	6" x 30"
L	2 1/2" x 30"
М	6" x 30"

Pillow Instructions:

Cut from scraps:

- One 13" Teal square
- One 4" x 13" White strip
- Two 1 1/2" x 13" Navy strips
- One 13" Navy square
- Two 13" batting squares



Assembly:

Lay the teal square right side up and the nap going from top to bottom. Use basting spray on the wrong side of one of the navy strips and place 2.5" in from the right side. Use a blanket stitch with coordinating thread on both sides of the strip. Use basting spray to hold white strip in place next to the first navy strip. Use a blanket stitch with white thread to stitch in place. Do the same for the last navy strip.

Use basting spray to fuse batting squares to wrong sides of the front square and back square. Use a basting stitch a quarter inch around the edges of both squares.

Place the front and back pieces right sides together making sure that the backing is going towards the bottom of the pillow. Starting at the bottom, sew the pieces together using a 1/2" seam allowance. Be sure to backstitch when you begin/end the seam and stop about 3 inches from the beginning of the seam.

Carefully cut the corners and turn right side out. Stuff and hand sew closed with a ladder stitch.

